

CEREAL CHEMISTRY®

Author Index to Volume 85

Page numbers of errata are in *italic*.

- Aarts, W. A. *See* M. J. Sissons, 440
- Abdel-Aal, E.-S. M. and T. H. Gamel. Effects of selected barley cultivars and their pearling fractions on inhibition of human LDL oxidation in vitro using a modified conjugated dienes method, 730
- Afoulous, S. *See* A. Zahid, 799
- Agama-Acevedo, E. *See* P. Osorio-Díaz, 339
- Aguilar-Sandoval, A. *See* P. Osorio-Díaz, 339
- Alavi, S. *See* X. Tang, 433
- Al-Dahhan, M. *See* A. B. Henriques, 685
- Almeida, E. L. *See* V. D. Capriles, 614
- Alvarez, M. M. *See* E. Pérez-Carrillo, 792
- Alviola, J. N., R. D. Waniska, and L. W. Rooney. Role of gluten in flour tortilla staling, 295
- and —. Determining the role of starch in flour tortilla staling using α -amylase, 391
- Arndt, E. A. *See* A. Toma, 721
- Arora, A., Y. Niu, M. E. Tumbleson, and K. D. Rausch. Laboratory wet milling of corn: Milling fraction correlations and variations among crop years, 207
- Ayala-Rodríguez, A. E. *See* R. Gutiérrez-Dorado, 808
- Baga, M. *See* R. Singh, 238
- Baik, B.-K. *See* H. S. Gujral, 97
- Baret, J.-L. *See* C. Maraschin, 372
- Barron, C., and X. Rouau. FTIR and Raman signatures of wheat grain peripheral tissues, 619
- Bawa, A. S. *See* M. Gupta, 115
- Bean, S. R. *See* F. E. Dowell, 82
- *See* X. Wu, 495
- *See* R. Zhao, 830, 837
- Beaugrand, J. *See* K. Gebruers, 586
- Bechtel, D. B. *See* J. D. Wilsor, 529
- Beecher, B. S. *See* Y. Turuspekova, 817
- Bello-Pérez, L. A. *See* P. Osorio-Díaz, 339
- BeMiller, J. N. *See* R. Wongsagonsup, 738
- *See* S.-H. Lee, 776
- Bett-Garber, K. L. *See* E. F. Champagne, 706
- Bettge, A. D. *See* C. F. Morris, 351, 359
- Bielawski, W. *See* A. Drzymala, 366
- Bilo, B. *See* J. Waga, 488
- Boussard, A. *See* C. Maraschin, 372
- Bowman, J. G. P. *See* Y. Turuspekova, 817
- Bradbury, I. *See* R. K. Price, 15
- Bressani, R. *See* I. Rojas-Molina, 409
- Broekaert, W. F. *See* C. M. Courtin, 607
- Brummer, Y., S. Jones, S. M. Tosh, and P. J. Wood. Extraction and physicochemical characterization of rye β -glucan and effects of barium on polysaccharide molecular weight, 174
- *See* S. M. Tosh, 211
- *See* S. M. Ragaei, 283, 289
- Bunzel, M. *See* C. Funk, 14
- Burton, C. *See* G. Hu, 648
- Burton, K. E., F. M. Steele, L. Jeffries, O. A. C'Ve, and M. L. Dunn. Effect of micronutrient fortification on nutritional and other properties of nixtamal tortillas, 70
- *See* A. T. Richins, 561
- Buyse, J. *See* C. M. Courtin, 607
- Caboni, M. F. *See* G. Iafelice, 146
- Caley, M. S. *See* F. E. Dowell, 82
- Cao, T. K. *See* G. H. Robertson, 599
- Capriles, V. D., E. L. Almeida, R. E. Ferreira, J. A. Gomes Areas, C. J. Steel, and Y. K. Chang. Physical and sensory properties of regular and reduced-fat pound cakes with added amaranth flour, 614
- Cazalis, R. *See* A. Zahid, 799
- Champagne, E. T., K. L. Bett-Garber, J. L. Thomson, F. F. Shih, J. Lea, and K. Daigle. Impact of presoaking on flavor of cooked rice, 706
- *See* Rice aroma and flavor: A Literature Review, 445
- Chang, Y. K. *See* V. D. Capriles, 614
- Chen, D. *See* P. Zhang, 696
- Chen, J. Y. *See* Z. Zeng, 140, 689
- Chen, P. *See* Y. Li, 780
- Chevanan, N., K. A. Rosentrater, and K. Muthukumarappan. Effect of DDGS, moisture content, and screw speed on physical properties of extrudates in single-screw extrusion, 132
- Chibbar, R. N. *See* R. Singh, 238
- *See* B. Verma, 544
- Choi, S. J., H. D. Woo, S. H. Ko, and T. W. Moon. Confocal laser scanning microscopy to investigate the effect of cooking and sodium bisulfate on in vitro digestibility of waxy sorghum flour, 65
- Chongcham, S. *See* A. Toma, 721
- Chung, H.-J., Q. Liu, E. Donner, R. Hoover, T. D. Warkentin, and B. Vandenberg. Composition, molecular structure, properties, and in vitro digestibility of starches from newly released Canadian pulse cultivars, 471
- Chung, O. K. *See* F. E. Dowell, 82
- *See* W. N. Huang, 301
- Cinco-Moroyoqui, F. J., and F. MacRitchie. Quantitation of LMW-GS to HMW-GS ratio in wheat flours, 824
- Coker, R. D. *See* J. T. Manful, 92
- *See* D. S. Himmelsbach, 384
- Collar, C. *See* E. Santos, 455
- Conde-Petit, B. *See* A. Kratzer, 660
- Cooper, N. T. W., T. J. Siebenmorgen, and P. A. Counce. Effects of nighttime temperature during kernel development on rice physicochemical properties, 276
- Copeland, L. *See* M. Wilkes, 335
- Cornejo-Villegas, A. *See* I. Rojas-Molina, 409
- Corsetti, A. *See* C. Schwab, 679
- Cortés-Acevedo, M. E. *See* I. Rojas-Molina, 409
- Cortes-Callejas, M. L. *See* E. Pérez-Carrillo, 792
- Counce, P. A. *See* N. T. W. Cooper, 276
- Courtin, C. M., W. F. Broekaert, K. Swennen, O. Lescroart, O. Onagbesan, J. Buyse, E. Decuyper, T. Van de Wiele, M. Marzorati, W. Verstraete, G. Huyghebaert, and J. A. Delcour. Dietary inclusion of wheat bran arabinooligosaccharides induces beneficial nutritional effects in chickens, 607
- *See* K. Gebruers, 586
- Croes, E. *See* K. Gebruers, 586
- Cubadda, R. *See* G. Iafelice, 146
- Cuq, B. *See* A. A. Kaddour, 673
- Daigle, K. *See* E. T. Champagne, 706
- Davidou, S., C. Michon, I. B. Thabet, and B. Launay. Influence of shaping and orientation structures on rheological properties of wheat flour dough measured in dynamic shear and in biaxial extension, 403
- Daxin, L. *See* L. Yinian, 534
- De Beukelaer, H. *See* J. E. Visser, 417
- De Kock, H. L. *See* M. M. Kebakile, 307
- De Leyn, E. *See* F. Van Bockstaele, 753, 762
- Delcour, J. A. *See* K. Gebruers, 586
- *See* C. M. Courtin, 607
- Dell, B. *See* C. Prom-u-thai, 257
- Dewettinck, K. *See* F. Van Bockstaele, 753, 762
- Dexter, J. E. *See* D. W. Hatcher, 425
- Di Criscio, T. *See* G. Iafelice, 146
- Doehert, D. C., and M. S. McMullen. Oat grain density measurement by sand displacement and analysis of physical components of test weight, 654
- *See* M. L. Wise, 639
- Dolinska, R. *See* S. Grundas, 224
- Dong, H.-Z. *See* H.-X. Hou, 252
- Donner, E. *See* H.-J. Chung, 471
- Dornez, E. *See* K. Gebruers, 586
- Dowell, F. E., E. B. Maghirang, R. O. Pierce, G. L. Lookhart, S. R. Bean, F.

- Zie, M. S. Caley, J. D. Wilson, B. W. Seabourn, M. S. Ram, S. H. Park, and O. K. Chung. Relationship of bread quality to kernel, flour, and dough properties, 82
- Drochner, W. See M. Schollenberger, 557
- Drzymala, A., B. Prabucka, I. Gajo, and W. Bielawski. Endogenous action of cysteine endopeptidase and three carboxypeptidases on triticale prolamins, 366
- Dunn, M. L., S. O. Serna-Saldivar, D. Sanchez-Hernandez, and R. W. Griffin. Commercial evaluation of a continuous micronutrient fortification process for nixtamal tortillas, 746
- . See K. E. Burton, 70
- . See D. J. Rose, 218
- . See A. T. Richins, 561
- Duodu, K. G. See L. I. Ezeogu, 397
- Edwards, N. M. See D. W. Hatcher, 425
- Eeckhout, M. See F. Van Bockstaele, 753, 762
- Egan, N. See M. J. Sissons, 440
- Eliasson, A.-C. See J. K. Purhagen, 109
- Emmambux, M. N. See L. I. Ezeogu, 397
- Engelsen, S. B. See H. F. Seefeldt, 571
- Escher, F. See A. Kratzer, 660
- Evans, A., and D. B. Thompson. Enzyme susceptibility of high-amylose starch precipitated from sodium hydroxide dispersions, 480
- Ezeogu, L. I., Duodu, K. G. Emmambux, M. N., and Taylor, J. R. N. Influence of cooking conditions on the protein matrix of sorghum and maize endosperm flours, 397
- Falcón, A. See I. Rojas-Molina, 409
- Faubion, J. M. See B. P. Lamsal, 642
- Feiz, L., J. M. Martin, and M. J. Giroux. Relationship between wheat (*Triticum aestivum* L.) grain hardness and wet-milling quality, 44
- Feng, T., Z. Gu, Z. Jin, and H. Zhuang. Physical changes of *Mesona blumes* gum/starch mixed gel with sugars, 550
- Ferreira, R. E. See V. D. Capriles, 614
- Ferrero, C. See N. R. Ponzio, 579
- Figueroa, J. D. C. See N. Ponce-García, 667
- Flores, R. A. See A. Toma, 721
- Fujioka, K. See M. Kurakake, 566
- Fulcher, R. G. See H. Lei, 230
- Funk, C., J. H. Grabber, H. Steinhart, and M. Bunzel. Artificial lignification of maize cell walls does not affect in vitro bile acid adsorption, 14
- Gajo, I. See A. Drzymala, 366
- Gamel, T. H. See E.-S. M. Abdel-Aal, 730
- Ganesan, V., K. Muthukumarappan, and K. A. Rosenstrater. Effect of moisture content and soluble level on the physical, chemical, and flow properties of distillers dried grains with solubles (DDGS), 464
- Gänzle, M. See C. Schwab, 679
- Garzón-Tiznado, J. A. See R. Gutiérrez-Dorado, 808
- Gaul, J. A., and P. Rayas-Duarte. Effect of moisture content and tempering milling method on functional and sensory properties of popped sorghum, 344
- Gayin, J. See J. T. Manful, 92
- Gebruers, K., J. Beaugrand, E. Croes, E. Dornez, C. M. Courtin, and J. A. Delcour. Quantification of wheat TAXI and XIP type xylanase inhibitors: A comparison of analytical techniques, 586
- Geera, B. See T. Zhu, 51
- Giroux, M. J. See L. Feiz, 44
- . See J. M. Martin, 266
- . See J. A. Lacerenza, 322
- . See Y. Turuspekova, 817
- Godber, J. S. See R. J. B. Heinemann, 243
- Gomes Areas, J. A. See V. D. Capriles, 614
- Grabber, J. H. See C. Funk, 14
- Gralik, J. See S. Grundas, 224
- Griffin, R. W. See M. L. Dunn, 746
- Grimm, C. C. See J. T. Manful, 92
- Gross, D. See A. Kratzer, 660
- Grundas, S., J. R. Warchalewski, R. Dolinska, and J. Gralik. Influence of microwave heating on some physicochemical properties of wheat grain harvested in three consecutive years, 224
- Gu, Z. See T. Feng, 550
- Gujral, H. S., Park, S. J., and B.-K. Baik. Effects of added minerals on pasting of partial waxy wheat flour and starch and on noodle making properties, 97
- Gupta, M., A. S. Bawa, and A. D. Semwal. Effect of barley flour on development of rice-based extruded snacks, 115
- Gutiérrez, E. See I. Rojas-Molina, 409
- Gutiérrez-Dorado, R., A. E., Ayala-Rodríguez, J. Milán-Carillo, J. López-Cervantes, J. A. Garzón-Tiznado, J. A. López-Valenzuela, O. Paredes-López, and C. Reyes-Moreno. Technological and nutritional properties of flours and tortillas from nixtamalized and extruded quality protein maize (*Zea mays* L.), 808
- Guzmán-Maldonado, S. H. See I. Rojas-Molina, 409
- Hamer, R. J. See J. E. Visser, 417
- Han, L., Huff, H. E., and F. Hsieh. Production of oat cakes from extruded pellets, 522
- Handschin, S. See A. Kratzer, 660
- Hanna, M. A. See Y. Xu, 158
- Hansen, A. See M. M. Nielsen, 248, 716
- Hao, Z. See X. Jiang, 502
- Haque, E. See B. P. Lamsal, 642
- Harden, S. See M. J. Sissons, 440
- Hatcher, D. W., N. M. Edwards, and J. E. Dexter. Effects of particle size and starch damage of flour and alkaline reagent on yellow alkaline noodle characteristics, 425
- He, Z. See P. Zhang, 696
- Heinemann, R. J. B., Z. Zu, J. S. Godber, and U. M. Lanfer-Marquez. Tocopherols, tocotrienols, and γ -oryzanol contents in *japonica* and *indica* subspecies of rice (*Oryza sativa* L.) cultivated in Brazil, 243
- Henriques, A. B., D. B. Johnston, and M. Al-Dahhan. Enhancing water removal from whole stillage by enzyme addition during fermentation, 685
- Herald, T. J. See X. Tang, 433
- Hettiarachchi, N. S. See I. Paraman, 76
- Himmelsbach, D. S., J. T. Manful, and R. D. Coker. Changes in rice with variable temperature parboiling: Thermal and spectroscopic assessment, 384
- Hoover, R. See H.-J. Chung, 471
- Hoseney, R. C. See R. A. Miller, 713
- Hou, H.-X., H.-Z. Dong, H. Zhang, and X.-Q. Song. Relationship between some structures and functionalities of starches from wheat cultivars grown in east China, 252
- Hsieh, F. See L. Han, 522
- Hu, G., and C. Burton. Modification of standard enzymatic protocol to a cost-efficient format for mixed-linkage (1 \rightarrow 3,1 \rightarrow 4)- β -D-glucan measurement, 648
- Huang, L. See C. Prom-u-thai, 257
- Huang, W. N., Y. L. Yuan, Y. S. Kim, and O. K. Chung. Effect of transglutaminase on rheology, microstructure, and baking properties of frozen dough, 301
- Huang, X. See S. M. Ragaei, 289
- Hucl, P. See R. Singh, 238
- . See B. Verma, 544
- Huff, H. E. See L. Han, 522
- Huyghebaert, G. See C. M. Courtin, 607
- Iafelice, G., M. F. Caboni, R. Cubadda, T. Di Ciscio, M. C. Trivisonno, and E. Marconi. Development of functional spaghetti enriched with long chain omega-3 fatty acids, 146
- Ibarra, C. See I. Rojas-Molina, 409
- Inglett, G. E. See S. Kim, 701
- Jackson, D. S. See T. Zhu, 51
- Jefferies, L. See K. E. Burton, 70
- . See A. T. Richins, 561
- Jiang, L. See H. L. Wang, 769
- Jiang, X., Z. Hao, and J. Tian. Variations in amino acid and protein contents of wheat during milling and northern-style steamed breadmaking, 502
- Jin, Z. See T. Feng, 550
- Johnson, L. A. See C. T. Shepherd, 188, 196, 711
- Johnston, D. B. See A. B. Henriques, 685
- Jones, S. See Y. Brummer, 174
- Jun, W. See L. Yinian, 534
- Kaddour, A. A., M. Mondet, and B. Cuq. Description of chemical changes implied during bread dough mixing by FT-ATR mid-infrared spectroscopy, 673
- Kays, S. J. See D. S. Yang, 591
- Kebakile, M. M., L. W. Rooney, H. L. De Kock, and J. R. N. Taylor. Effects of sorghum type and milling process on the sensory characteristics of sorghum porridge, 307
- Kim, H. R., K. M. Kim, H.-S. Lee, and K. O. Kim. Effects of steeping temperatures and periods of waxy rice on expansion properties of *gangjung* (a traditional Korean oil-puffed rice snack), 314
- Kim, J.-Y., D. J. Park, and S.-T. Lim. Fragmentation of waxy starch granules

- by enzymatic hydrolysis, 182
- Kim, K.-J. *See* D. S. Yang, 591
- Kim, K. M. *See* H. R. Kim, 314
- Kim, K. O. *See* H. R. Kim, 314
- Kim, S., G. E. Inglett, and S. X. Liu. Content and molecular weight distribution of oat β -glucan in Oatrim, Nutrim, and C-Trim products, 701
- Kim, Y. S. *See* W. N. Huang, 301
- King, G. E. *See* C. F. Morris, 351, 359
- Ko, S. H. *See* S. J. Choi, 65
- Koehler, P. *See* H. Wieser, 1
- Komaki, T. *See* M. Kurakake, 566
- Koyhama, K. *See* T. Sasaki, 329
- Kratzer, A., S. Handschin, V. Lehmann, D. Gross, F. Escher, and B. Conde-Petit. Hydration dynamics of durum wheat endosperm as studied by magnetic resonance imaging and soaking experiments, 660
- Kuo, J. *See* C. Prom-u-thai, 257
- Kurakake, M., M. Noguchi, K. Fujioka, and T. Komaki. Pasting characteristics of maize starch heat-treated with different water-ethanol mixtures, 566
- Lacerenza, J. A., J. M., Martin, L. E. Talbert, S. P. Lanning, and M. J. Giroux. Relationship of ethanol yield to agronomic and seed quality characteristics of small grains, 322
- Lamsal, B. P., J. H. Yoo, E. Haque, and J. M. Faubion. Physical milling characteristics of wheat kernels after enzyme and acid treatments, 642
- Lanfer-Marquez, U. M. *See* R. J. B. Heinemann, 243
- Lanning, S. P. *See* J. M. Martin, 266
- *See* J. A. Lacerenza, 322
- Larsen, F. H. *See* H. F. Seefeldt, 571
- Launay, B. *See* S. Davidou, 403
- Lawton, J. W., G. W. Selling, and J. L. Willett. Corn gluten meal as a thermoplastic resin: Effect of plasticizers and water content, 102
- Lea, J. *See* E. T. Champagne, 706
- Lee, C.-C., and S.-D. Lin. Effect of GABA tea on quality characteristics of chiffon cake, 31
- , Wang, H.-F., and S.-D. Lin. Effect of isomaltuligosaccharide syrup on quality characteristics of sponge cake, 515
- Lee, H.-S. *See* H. R. Kim, 314
- *See* D. S. Yang, 591
- Lee, S.-H., and J. N. BeMiller. Lysophosphatidylcholine identified as channel-associated phospholipid of maize starch granules, 776
- Lee, S. P. *See* A. Toma, 721
- Lee-Manion, A. M. *See* R. K. Price, 152
- Lehmann, V. *See* A. Kratzer, 660
- Lei, H., R. G. Fulcher, R. Ruan, and B. van Lengerich. Empirical modeling of rice residence time in a co-rotating twin-screw extruder with rice flour, 230
- Lenz, M. C. *See* X. Wu, 495
- León, A. E. *See* M. E. Steffolani, 39
- *See* C. Marco, 59
- Lescroart, O. *See* C. M. Courtin, 607
- Li, F., J. Zhang, H.-M. Liu, S. Tian, X. Yang, J. Ma, and M. Sun. Comparative study of activity and heat stability of limit dextrinase in 16 barley cultivars, 271
- Li, Y., K. Szlachetka, P. Chen, X. Lin, and R. Ruan. Ingredient characterization and hardening of high-protein food bars: An NMR state diagram approach, 780
- Lim, S.-T. *See* J.-Y. Kim, 182
- Lin, S.-D. *See* C.-C. Lee, 31, 515
- Lin, X. *See* Y. Li, 780
- Liu, H.-M. *See* F. Li, 271
- Liu, K. Measurement of wheat hardness by seed scarifier and barley pearler and comparison with single-kernel characterization system, 165
- Liu, L. *See* X. Wu, 495
- Liu, L. L. *See* H. L. Wang, 769
- Liu, Q. *See* H.-J. Chung, 471
- Liu, S. X. *See* S. Kim, 701
- Lookhart, G. L. *See* F. E. Dowell, 82
- López-Cervantes, J. *See* R. Gutiérrez-Dorado, 808
- López-Huape, G. A. *See* N. Ponce-García, 667
- López-Valenzuela, J. A. *See* R. Gutiérrez-Dorado, 808
- Loveday, S. M., and R. J. Winger. Simultaneous extraction and enzymatic quantification of glucose, sucrose, and ethanol in fermenting yeasted dough, 530
- Ma, J. *See* F. Li, 271
- MacRitchie, F. *See* F. J. Cinco-Moroyoqui, 824
- Madl, R. L. *See* X. Wu, 495
- Maghirang, E. B. *See* F. E. Dowell, 82
- Manful, J. T., C. C. Grimm, J. Gayin, and R. D. Coker. Effect of variable parboiling on crystallinity of rice samples, 92
- *See* D. S. Himmelsbach, 384
- Maningat, C. C. *See* R. A. Miller, 713
- Maraschin, C., H. Robert, A. Boussard, J. Potus, J.-L. Baret, and J. Nicolas. Effect of storage temperature and flour water content on lipids, lipoxigenase activity, and oxygen uptake during dough mixing, 372
- Marchylo, B. A. *See* M. J. Sissons, 440
- Marco, C., G. T. Pérez, A. E. León, and C. M. Rosell. Effect of transglutaminase on protein electrophoresis pattern on rice, soybean, and rice-soybean blends, 59
- Marconi, E. *See* G. Iafelice, 146
- Martin, J. M., J. D. Sherman, S. P. Lanning, L. E. Talbert, and M. J. Giroux. Effect of variation in amylose content and puroindoline composition on bread quality in a hard spring wheat population, 266
- *See* L. Feiz, 44
- *See* J. A. Lacerenza, 322
- *See* Y. Turuspekov, 817
- Martínez, H. E. *See* N. Ponce-García, 667
- Martínez-Peniche, R. *See* N. Ponce-García, 667
- Marzorati, M. *See* C. M. Courtin, 607
- Mastrangelo, M. *See* C. Schwab, 679
- Matsunaga, R. *See* Z. Zeng, 140
- Matus-Cádiz, M. *See* R. Singh, 238
- McCluskey, P. J. *See* C. F. Morris, 351, 359
- McLaren, J. S. *See* X. Wu, 495
- McMullen, M. S. *See* M. L. Wise, 639
- *See* D. C. Doehlert, 654
- Mergoum, M. *See* J. L. Underdahl, 507
- Meullenet, J. F. *See* M. I. Saleh, 787
- Milán-Carrillo, J. *See* R. Gutiérrez-Dorado, 808
- Miller, R. A., C. C. Maningat, and R. C. Hoseney. Modified starches increase bread yield, 713
- Mondet, M. *See* A. A. Kaddour, 673
- Moog, D. J., P. R. L. Stroschne, and L. M. Seitz. Relationship of shelled corn fungal susceptibility to carbon dioxide evolution and kernel attributes, 19
- Moon, T. W. *See* S. J. Choi, 65
- Morris, C. F., A. D. Bettge, M. J. Pitts, G. E. King, K. Pecka, and P. J. McCluskey. Compressive strength of wheat endosperm: Comparison of endosperm bricks to the single kernel characterization system, 359
- Pitts, M. J., A. D. Bettge, K. Pecka, G. E. King, and P. J. McCluskey. Compressive strength of wheat endosperm: Analysis of endosperm bricks, 351
- Müller, H.-M. *See* M. Schollenberger, 557
- Muthukumarappan, K. *See* N. Chevanan, 132
- *See* V. Ganesan, 464
- Nicolas, J. *See* C. Maraschin, 372
- Nielsen, M. M., and A. Hansen. Rapid high-performance liquid chromatography determination of tocopherols and tocotrienols in cereals, 248
- , and A. Hansen. Stability of vitamin E in wheat flour and whole wheat flour during storage, 716
- Niu, A. *See* A. Arora, 207
- Noguchi, M. *See* M. Kurakake, 566
- Obtulowicz, K. *See* J. Waga, 488
- Ogden, L. V. *See* D. J. Rose, 218
- Ohm, J.-B., A. S. Ross, C. J. Peterson, and Y.-L. Ong. Relationships of high molecular weight glutenin subunit composition and molecular weight distribution of wheat flour protein with water absorption and color characteristics of noodle dough, 123
- Omari, M. B. *See* A. Toma, 721
- Onagbesan, O. *See* C. M. Courtin, 607
- Ong, Y.-L. *See* J. B. Ohm, 123
- Ortiz, W. O. *See* G. H. Robertson, 599
- Osorio-Díaz, P., A. Aguilar-Sandoval, E. Agama-Acevedo, R. Rendón-Villalobos, J. Tovar, and L. A. Bello-Pérez. Composite durum wheat flour/plantain starch white salted noodles: Proximal composition, starch digestibility, and indigestible fraction content, 339
- Ozawa, M., and M. Seguchi. Effect of dry-heated prime starch and tailings fractions in wheat flour on pancake springiness, 626
- Pahulu, H. F. *See* A. T. Richins, 561
- Paraman, I., N. S. Hettierachchy, and C. Schaefer. Preparation of rice endosperm protein isolate by alkali extraction, 76
- Paredes-López, O. *See* R. Gutiérrez-Dorado, 808

- Park, D.-J. See J.-Y. Kim, 182
- Park, S. H. See F. E. Dowell, 82
- Park, S. J. See H. S. Gujral, 97
- Peck, K. See C. F. Morris, 351, 359
- Pérez, G. T. See M. E. Steffolani, 39
- See C. Marco, 59
- Pérez-Carrillo, E., S. O. Serna-Saldívar, M. M. Alvarez, and M. L. Cortes-Callejas. Effect of sorghum decortication and use of protease before liquefaction with thermoresistant α -amylase on efficiency of bioethanol production, 792
- Peterson, C. J. See J. B. Ohm, 123
- Peterson, J. M. See C. T. Shepherd, 188, 196, 711
- Pierce, R. O. See F. E. Dowell, 82
- Pike, O. A. See K. E. Burton, 70
- See D. J. Rose, 218
- Pitts, M. J. See C. F. Morris, 351, 359
- Ponce-García, N., J. D. C. Figueroa, G. M. López-Huape, H. E. Martínez, and R. Martínez-Peniche. Study of viscoelastic properties of wheat kernels using compression load method, 667
- Pons-Hernández, J. L. See I. Rojas-Molina, 409
- Ponzio, N. R., M. C. Puppo, and C. Ferrero. Mixtures of two Argentinean wheat cultivars of different quality: A study on breadmaking performance, 579
- Potus, J. See C. Maraschin, 372
- Prabucka, B. See A. Drzymala, 366
- Prasopunwattana, N. See A. Toma, 721
- Price, R. K., R. W. Welch, A. M. Lee-Manion, I. Bradbury, and J. J. Strain. Total phenolics and antioxidant potential in plasma and urine of humans after consumption of wheat bran, 152
- Prom-u-thai, C., L. Huang, B. Rerkasem, G. Thomson, J. Kuo, M. Saunders, and B. Dell. Distribution of protein bodies and phytate-rich inclusions in grain tissues of low and high iron rice genotypes, 257
- Puppo, M. C. See M. E. Steffolani, 39
- See N. R. Ponzio, 579
- Purhagen, J. K., M. E. Sjö, and A.-C. Eliasson. Staling effects when adding low amounts of normal and heat-treated barley flour to a wheat bread, 109
- Ragae, S. M., P. J. Wood, Q. Wang, S. Tosh, and Y. Brummer. Extractability, structure and molecular weight of β -glucan from Canadian rye (*Secale cereale* L.) whole meal, 283
- , —, —, —, —, and X. Huang. Isolation, fractionation, and structural characteristics of alkali-extractable β -glucan from rye whole meal, 289
- Ram, M. S. See F. E. Dowell, 82
- Ransom, J. K. See J. L. Underdahl, 507
- Rausch, K. D. See A. Arora, 207
- Rayas-Duarte, P. See J. A. Gaul, 344
- Rendón-Villalobos, R. See P. Osorio-Díaz, 339
- Rerkasem, B. See C. Prom-u-thai, 257
- Reyes-Moreno, C. See R. Gutiérrez-Dorado, 808
- Ribotta, P. D. See M. E. Steffolani, 39
- Richins, A. T., K. E. Burton, H. F. Pahulu, L. Jefferies, and M. L. Dunn. Effect of iron source on color and appearance of nutrient-fortified corn flour tortillas, 561
- Robert, H. See C. Maraschin, 372
- Robertson, G. H., T. K. Cao, and W. O. Orts. Effect of dough functional properties on partial fractionation, redistribution, and in situ deposition of wheat flour gluten proteins exposed to water, ethanol, and aqueous ethanol, 599
- Rodríguez, M. E. See I. Rojas-Molina, 409
- Rojas, A. See I. Rojas-Molina, 409
- Rojas-Molina, I., E. Gutiérrez, M. E. Cortés-Acevedo, A. Falcón, R. Bressani, A. Rojas, C. Ibarra, J. L. Pons-Hernández, S. H. Guzmán-Maldonado, A. Cornejo-Villegas, and M. E. Rodríguez. Analysis of quality protein changes in nixtamalized QPM flours as a function of steeping time, 409
- Rooney, L. W. See J. N. Alviola, 295
- See M. M. Kebakile, 307
- Rose, D. J., L. V. Ogden, M. L. Dunn, and O. A. Pike. Enhanced lipid stability in whole wheat flour by lipase inactivation and antioxidant retention, 218
- Rosell, C. M. See C. Marco, 59
- See E. Santos, 455
- Rosentrater, K. See N. Chevanan, 132
- See V. Ganesan, 464
- See A. Toma, 721
- Ross, A. S. See J. B. Ohm, 123
- Rouau, X. See C. Barron, 619
- Ruan, R. See H. Lei, 230
- See Y. Li, 780
- Rüfle, M. See M. Schollenberger, 557
- Saleh, M. I., J. F. Meullenet, and T. J. Siebenmorgen. Development and validation of prediction models for rice surface lipid content and color parameters using near-infrared spectroscopy: A basis for predicting rice degree of milling, 787
- Sanchez-Hernandez, D. See M. L. Dunn, 746
- Santos, E., C. M. Rosell, and C. Collar. Gelatinization and retrogradation kinetics of high-fiber wheat flour blends: A calorimetric approach, 455
- Sasaki, T., T. Yasui, and K. Kohyama. Influence of starch and gluten characteristics on rheological properties of wheat flour gel at small and large deformation, 329
- Saunders, M. See C. Prom-u-thai, 257
- Schaefer, C. See I. Paraman, 76
- Schatz, B. See J. L. Underdahl, 507
- Schlichting, L. M. See M. J. Sissons, 440
- Schollenberger, M., H.-M. Müller, M. Rüfle, S. Suchy, and W. Drochner. Redistribution of 16 *Fusarium* toxins during commercial dry milling of maize, 557
- Schwab, C., M. Mastrangelo, A. Corsetti, and M. Gänzle. Formation of oligosaccharides and polysaccharides by *Lactobacillus reuteri* LTH5448 and *Weissella cibaria* 10M in sorghum sourdoughs, 679
- Scott, M. P. See C. T. Shepherd, 188, 196, 711
- Seabourn, B. W. See F. E. Dowell, 82
- Seefeldt, H. F., F. H. Larsen, N. Viereck, B. Wollenweber, and S. B. Engelsens. Bulk carbohydrate grain filling of barley β -glucan mutants studied by ^1H HR MAS NMR, 571
- Seguchi, M. See M. Ozawa, 626
- Seib, P. A. See X. Wu, 495
- See J. D. Wilson, 629
- Seitz, L. M. See D. J. P. Moog, 19
- Selling, G. W., and K. K. Woods. Isolation of zein from corn gluten meal using acetic acid and isolate characterization, 202
- See J. W. Lawton, 102
- Semwal, A. D. See M. Gupta, 115
- Serna Saldívar, S. O. See M. L. Dunn, 746
- See E. Pérez-Carrillo, 792
- Shen, Y. Y. See H. L. Wang, 769
- Shepherd, C. T., N. Vignaux, J. M. Peterson, L. A. Johnson, and M. P. Scott. Green fluorescent protein as a tissue marker in transgenic maize seed, 188
- , —, —, —, —, M. P. Scott, and —. Dry-milling and fractionation of transgenic maize seed tissues with green fluorescent protein as a tissue marker, 196, 711
- Sherman, J. D. See J. M. Martin, 266
- Shih, F. F. See E. T. Champagne, 706
- Siebenmorgen, T. J. See N. T. W. Cooper, 276
- See M. I. Saleh, 787
- Singh, R., M. Matus-Cádiz, M. Baga, P. Hucl, and R. N. Chibbar. Comparison of different methods for phenotyping preharvest sprouting in white-grained wheat, 238
- Singh, V. See R. Srinivasan, 27
- Sissons, M. J., L. M. Schlichting, N. Egan, W. A. Aarts, S. Harden, and B. A. Marchylo. A standardized method for the instrumental determination of cooked spaghetti firmness, 440
- Sjö, M. E. See J. K. Purhagen, 109
- Song, X.-Q. See H.-X. Hou, 252
- Song, Y. See Q. Zhang, 379
- Srinivasan, R., and V. Singh. Pericarp fiber separation from corn flour using sieving and air classification, 27
- Stachowicz, M. See J. Waga, 488
- Steel, C. J. See V. D. Capriles, 614
- Steele, F. M. See K. E. Burton, 70
- Steffolani, M. E., G. T. Pérez, P. D. Ribotta, M. C. Puppo, and A. E. León. Effect of transglutaminase on properties of glutenin macropolymer and dough rheology, 39
- Steinhart, H. See C. Funk, 14
- Strain, J. J. See R. K. Price, 152
- Stroshine, R. L. See D. J. P. Moog, 19
- Suchy, S. See M. Schollenberger, 557
- Sun, M. See F. Li, 271
- Swennen, K. See C. M. Courtin, 607
- Szlachetka, K. See Y. Li, 780
- Talbert, L. E. See J. M. Martin, 266
- See J. A. Lacerenza, 322
- Tang, X., S. Alavi, and T. J. Herald. Barrier and mechanical properties of starch-clay nanocomposite films, 433

- Taylor, J. R. N. See L. I. Ezeogu, 397
- Thabet, I. B. See S. Davidou, 403
- Thompson, D. B. See A. Evans, 480
- Thomson, G. See C. Prom-u-thai, 257
- Thomson, J. L. See E. T. Champagne, 706
- Tian, J. See X. Jiang, 502
- Tian, S. See F. Li, 271
- Toma, A., M. B. Omary, K. A. Rosenstrater, E. A. Arndt, N. Prasopsunwatana, S., Chongcham, R. A., Flores, and S. P. Lee. Understanding consumer preference for functional barley tortillas through sensory, demographic, and behavioral data, 721
- Tosh, S. M., Y. Brummer, T. M. S. Wolever, and P. J. Wood. Glycemic response to oat bran muffins treated to vary molecular weight of β -glucan, 211
—, See Y. Brummer, 174
—, See S. M. Ragae, 283, 289
- Tovar, J. See P. Osorio-Díaz, 339
- Trivisonno, M. C. See G. Lafelice, 146
- Tuinstra, M. See X. Wu, 495
- Tumbleson, M. E. See A. Arora, 207
- Turuspekoy, Y., J. M. Martin, J. G. P. Bowman, B. S. Beecher, and M. J. Giroux. Associations between *Vrs1* alleles and grain quality traits in spring barley *Hordeum vulgare* L., 817
- Underdahl, J. L., M. Mergoum, B. Schatz, and J. K. Ransom. Quality trait variation in major hard red spring wheat cultivars released in North Dakota since 1968, 507
- Van Bockstaele, F., I. De Leyn, M. Eeckhout, and K. Dewettinck. Rheological properties of wheat flour dough and the relationship with bread volume. I. Creep-recovery measurements, 753
—, —, —, and —. Properties of wheat flour dough and the relationship with bread volume. II. Dynamic oscillation measurements, 762
- Van de Wiele, T. See C. M. Courtin, 607
- Van Lengerich, B. See H. Lei, 230
- Van Vliet, T. See J. E. Visser, 417
- Vandenberg, B. See H.-J. Chung, 471
- Varavinit, S. See R. Wongsagonsup, 738
- Verma, B., P. Huel, and R. N. Chibbar. Phenolic content and antioxidant properties of bran in 51 wheat cultivars, 544
- Verstraete, W. See C. M. Courtin, 607
- Viereck, N. See H. F. Seefeldt, 571
- Vignaux, N. See C. T. Shepherd, 188, 196, 711
- Visser, J. E., H. de Beukelaar, R. J. Hamer, and T. van Vliet. A new device for studying deep-frying behavior of batters and resulting crust properties, 417
- Waga, J., J. Zientarski, K. Obtulowicz, B. Bilo, and M. Stachowicz. Gliadin immunoreactivity and dough rheological properties of winter wheat genotypes modified by thioredoxin, 488
- Wan, J. M. See H. L. Wang, 769
- Wang, D. See X. Wu, 495
—, See R. Zhao, 830, 837
- Wang, H.-F. See C.-C. Lee, 515
- Wang, H. L., W. W. Zhang, L. L. Liu, Y. Y. Shen, J. K. Wang, L. Jiang, H. Q. Zhai, and J. M. Wan. Dynamic QTL analysis on rice fat content and fat index using recombinant inbred lines, 769
- Wang, J. K. See H. L. Wang, 769
- Wang, Q. See S. M. Ragae, 283, 289
- Waniska, R. D. See J. N. Alviola, 295, 391
- Warchalewski, J. R. See S. Grundas, 224
- Warkentin, T. D. See H.-J. Chung, 471
- Weber, R. See Y. Xu, 158
- Wehling, R. L. See T. Zhu, 51
- Weimin, D. See L. Yinian, 534
- Weizhong, X. See L. Yinian, 534
- Welch, R. W. See R. K. Price, 152
- Wieser, H., and P. Koehler. The biochemical basis of celiac disease, 1
- Wilkes, M., and L. Copeland. Storage of wheat grains at elevated temperatures increases solubilization of glutenin subunits, 335
- Willett, J. L. See J. W. Lawton, 102
- Wilson, G. W. T. See J. D. Wilson, 629
- Wilson, J. D., D. B. Bechtel, G. W. T. Wilson, and P. A. Seib. Bread quality of spelt wheat and its starch, 629
—, See F. E. Dowell, 82
- Winger, R. J. See S. M. Loveday, 530
- Wise, M. L., D. C. Doeblert, and M. S. McMullen. Association of avenanthramide concentration in oat (*Avena sativa* L.) grain with crown rust incidence and genetic resistance, 639
- Wolever, T. M. See S. M. Tosh, 211
- Wollenweber, B. See H. F. Seefeldt, 571
- Wongsagonsup, R., S. Varavinit, and J. N. BeMiller. Increasing slowly digestible starch content of normal and waxy maize starches and properties of starch products, 738
- Woo, H. D. See S. J. Choi, 65
- Wood, P. J. See Y. Brummer, 174
—, See S. M. Tosh, 211
—, See S. M. Ragae, 283, 289
- Woods, K. K. See G. W. Selling, 202
- Wu, X., R. Zhao, L. Liu, S. Bean, P. A. Seib, J. McLaren, R. Madl, M. Tuinstra, M. Lenz, and D. Wang. Effects of growing location and irrigation on attributes and ethanol yields of selected grain sorghums, 495
—, See R. Zhao, 830
- Xia, X. See P. Zhang, 696
- Xie, F. See F. E. Dowell, 82
- Xu, Y., M. W. Hanna, and R. Wever. Compaction of corn distillers dried grains, 158
- Yang, D. S., K.-S. Lee, K.-J. Kim, and S. J. Kays. Site of origin of volatile compounds in cooked rice, 591
- Yang, X. See F. Li, 271
- Yasui, T. See T. Sasaki, 329
- Yinian, L., W. Jun, X. Weizhong, L. Daxin, and D. Weimin. Physicochemical properties of wheat fractionated by wheat kernel thickness and separated by kernel specific density, 534
- Yoo, J. H. See B. P. Lamsal, 642
- Yuan, Y. L. See W. N. Huang, 301
- Zahid, A., S. Afoulous, and R. Cazalis. Thioredoxin h system and wheat seed quality, 799
- Zeng, Z., H. Zhang, J. Y. Chen, T. Zhang, and R. Matsunaga. Flavor volatiles of rice during cooking analyzed by modified headspace SPME/GC-MS, 140
- Zhai, H. Q. See H. L. Wang, 769
- Zhang, H. See Z. Zeng, 140, 689
—, See H.-X. Hou, 252
- Zhang, J. See F. Li, 271
- Zhang, P., Z. He, Y. Zhang, X. Xia, D. Chen, and Y. Zhang. Association between %SDS-unextractable polymeric protein (%UPP) and end-use quality in Chinese bread wheat cultivars, 696
- Zhang, Q., Y. Song, and Q. Zheng. Influences of acid and alkali on mechanical properties of compression-molded gluten bioplastics, 379
- Zhang, T. See Z. Zeng, 140, 689
- Zhang, W. W. See H. L. Wang, 769
- Zhang, Yan See P. Zhang, 696
- Zhang, Yong See P. Zhang, 696
- Zhao, R., S. R. Bean, and D. Wang. Sorghum protein extraction by sonication and its relationship to ethanol fermentation, 837
—, —, X. Wu, and D. Wang. Assessing fermentation quality of grain sorghum for fuel ethanol production using Rapid Visco-Analyzer, 830
—, See X. Wu, 495
- Zheng, Q. See Q. Zhang, 379
- Zheng, Z., H. Zhang, T. Zhang, and J. Y. Chen. Flavor volatiles in three rice cultivars with low levels of digestible protein during cooking, 689
- Zhu, T., D. S. Jackson, R. L. Wehling, and B. Geera. Comparison of amylose determination methods and the development of a dual wavelength iodine binding technique, 51
- Zhuang, H. See T. Feng, 550
- Zientarski, J. See J. Waga, 488
- Zu, Z. See R. J. B. Heinemann, 243

CEREAL CHEMISTRY®

Subject Index to Volume 85

Page numbers of errata are in *italic*.

- Abrasion resistance index (ARI), wheat hardness (Liu), 165
- Acetic acid, isolation of zein from corn gluten meal using (Selling and Woods), 202
- Agronomic traits, ethanol yield (Lacerenza et al), 322
- Air classification, pericarp fiber separation (Srinivasan and Singh), 27
- Alkali extraction, preparation of rice endosperm protein isolate (Paraman et al), 76
- Alkaline noodles, particle size, starch damage of flour, and alkaline reagent (Hatcher et al), 425
- Amaranth flour, pound cake properties (Capriles et al), 614
- α -Amylase
- fragmentation of waxy rice starch granules (Kim et al), 182
 - preharvest sprouting in white-grained wheat (Singh et al), 238
 - starch, flour tortilla staling and (Alviola and Waniska), 391
- Amylopectin
- heat-treated barley flour (Purhagen et al), 109
 - retrogradation of, high-fiber wheat flour blends (Santos et al), 455
- Amylose
- comparison of methods for determination (Zhu et al), 51
 - content of, wheat flour gel properties and (Sasaki et al), 329
 - nighttime temperature, rice kernel development (Cooper et al), 276
 - content in pulse starches (Chung et al), 471
 - variations in bread quality (Martin et al), 266
- Antioxidants
- barley cultivars, inhibition of LDL oxidation in vitro (Abdel-Aal and Gamel), 730
 - bran from 51 wheat cultivars (Verma et al), 544
 - oat grain crown rust (Wise et al), 639
 - retention of, enhanced lipid stability (Rose et al), 218
 - storage of wheat and whole wheat flour (Nielsen and Hansen), 716
 - wheat bran consumption and (Price et al), 152
- Arabinoxylan, from rye whole meal (Ragaei et al), 283, 289
- Arabinoxyloligosaccharides, wheat bran, beneficial nutritional effects of dietary inclusion for chickens (Courtin et al), 607
- Argentinean wheat flours, breadmaking performance and cultivar (Ponzio et al), 579
- Aroma, review for rice (Champagne), 445
- Avenanthramide concentration, oat grain crown rust (Wise et al), 639
- Avenins, celiac disease and (Wieser and Koehler), 1
- Bake water absorption models, bread quality (Dowell et al), 82
- Barium, polysaccharide molecular weight (Brummer et al), 174
- Barley
- β -glucan mutants, bulk carbohydrate grain filling (Seefeldt et al), 571
 - consumer preferences for functional barley tortillas (Toma et al), 721
 - cultivars, inhibition of LDL oxidation in vitro (Abdel-Aal and Gamel), 730
 - limit dextrinase in 16 cultivars (Li et al), 271
 - grains, ethanol yield, and (Lacerenza et al), 322
 - Vrs1* alleles, and grain quality traits (Turuspekov et al), 817
- Barley flour
- rice-based extruded snacks (Gupta et al), 115
 - white wheat bread, added to (Purhagen et al), 109
- Barley pearlers, measurement of wheat hardness (Liu), 165
- Batters, deep-frying behavior and crust properties (Visser et al), 417
- Biaxial extension, wheat flour dough rheological properties (Davidou et al), 403
- Bile acid, adsorption of (Funk et al), 14
- Bioethanol. *See* Ethanol
- Bioplastics
- compression-molded gluten (Zhang et al), 379
 - starch-clay nanocomposite films (Tang et al), 433
- Bran, phenolic content, antioxidant properties in 51 wheat cultivars (Verma et al), 544
- Bread
- amino acid, protein variations during milling and breadmaking (Jiang et al), 502
 - chemical changes in mixing, FT-ATR mid-infrared spectroscopy (Kaddour et al), 673
 - dietary fiber mixtures, dough thermal properties (Santos et al), 455
 - effect of amylose content and puroindoline composition on quality (Martin et al), 266
 - heat-treated barley flour (Purhagen et al), 109
 - modified wheat starches and increased yield (Miller et al), 713
 - oligosaccharides, polysaccharides, formation in sourdoughs (Schwab et al), 679
 - properties, hard red spring wheat cultivars (Underdahl et al), 507
 - quality, kernel, flour, and dough properties (Dowell et al), 82
 - spelt wheat and its starch (Wilson et al), 629
 - transglutaminase, frozen dough baking properties (Huang et al), 301
 - transglutaminase, glutenin macropolymer (Steffolani et al), 31
 - unextractable polymeric protein, end-use quality, Chinese wheat cultivars and (Zhang et al), 696
 - wheat cultivars, Argentinean, breadmaking performance (Ponzio et al), 579
 - wheat flour dough properties, bread volume (Van Bockstaele et al), 753, 762
- Butylated hydroxytoluene (BHT), cereal sampling and vitamin E stability (Nielsen and Hansen), 248
- Carbon dioxide, evolution, shelled corn fungal susceptibility (Moog et al), 19
- Carboxypeptidases, action on triticale prolamins (Drzymala et al), 366
- Celiac disease
- biochemical basis (Wieser and Koehler), 1
 - winter wheat genotypes modified by thioredoxin (Waga et al), 488
- Cellulosic ethanol. *See* Ethanol
- Cereals
- quantification of xylanase inhibitors (Gebruers et al), 586
 - rapid HPLC determination of tocopherols and tocotrienols (Nielsen and Hansen), 248
- CGM. *See* Corn gluten meal (CGM)
- Chickens, wheat bran arabinoxyloligosaccharides and (Courtin et al), 607
- Chickpeas, pulse starch properties from newly released cultivars (Chung et al), 471
- Chiffon cake, effect of GABA tea on quality (Lee and Lin), 31
- Cholesterol
- barley cultivars, inhibition of LDL oxidation in vitro (Abdel-Aal and Gamel), 730
 - bile acid adsorption (Funk et al), 14
- Clay, starch-nanocomposite films (Tang et al), 433
- Codex Alimentarius, gluten-free foods (Wieser and Koehler), 1
- Compaction, of corn DDGS (Xu et al), 158
- Compression load method, wheat kernel viscoelastic properties (Ponce-García et al), 667
- Compressive strength, of wheat endosperm (Morris et al), 351, 359
- Confocal laser scanning microscopy (CLSM), cooking, sodium bisulfite, and waxy sorghum flour (Choi et al), 65
- β -Conglycinins, transglutaminase and (Marco et al), 59
- Conjugated dienes method, modified, LDL oxidation measurement (Abdel-Aal and Gamel), 730
- Cooking
- flour protein matrix (Ezeogu et al), 397
 - rice flavor volatiles (Zeng et al), 140
 - sorghum microstructure during (Choi et al), 65
- Corn
- artificial lignification of cell walls (Funk et al), 14
 - compaction of DDGS from (Xu et al), 158
 - continuous fortification of nixtamal tortillas (Dunn et al), 746
 - dry milling, redistribution of *Fusarium* toxins and (Schollenberger et al), 557

- GFP as tissue marker in transgenic seed (Shepherd et al), 188, 196, 711
- heat-treated maize starch, water-ethanol mixtures (Kurakake et al), 566
- laboratory wet milling (Arora et al), 207
- lysophosphatidylcholine in starch granules (Lee and BeMiller), 776
- shelled, fungal susceptibility and (Moog et al), 19
- Corn flour
 - effect of cooking conditions on protein matrix (Ezeogu et al), 397
 - micronutrient-fortified tortillas, effect of iron source on appearance (Richins et al), 561
 - nixtamalized QPM flours, steeping time, and quality protein changes (Rojas-Molina et al), 409
 - pericarp fiber separation by sieving and air classification (Srinivasan and Singh), 27
 - tortillas from nixtamalized and extruded quality protein maize (Gutiérrez-Dorado et al), 808
- Corn gluten meal (CGM)
 - isolation of zein (Selling and Woods), 202
 - as a thermoplastic resin (Lawton et al), 102
- Corn starch, slowly digestible starch content, starch product properties (Wong-sagonsup et al), 738
- Creep-recovery measurements, wheat flour dough, bread volume (Van Bockstaele et al), 753
- Crown rust, oat grain, avenanthramide concentration (Wise et al), 639
- Crust properties, deep-frying behavior of batters (Visser et al), 417
- Crystallinity, parboiling of rice (Manful et al), 92
- C-Trim, oat β -glucan (Kim et al), 701
- Decortication, of sorghum, protease treatment, bioethanol production (Pérez-Carrillo et al), 792
- Deep-frying behavior, crust properties of batters (Visser et al), 417
- Deformation, starch, gluten characteristics and wheat flour gel (Sasaki et al), 329
- Degree of milling. *See also* Milling
 - prediction of rice surface lipid content (Saleh et al), 787
- Depolymerization, barium extraction and (Brummer et al), 174
- Differential scanning calorimetry (DSC)
 - amylose determination (Zhu et al), 51
 - parboiled rice analysis (Manful et al), 92
 - rice, variable temperature parboiling (Himmelsbach et al), 384
- Distillers dried grains with solubles (DDGS)
 - compaction (Xu et al), 158
 - extrudate physical properties (Chevanan et al), 132
 - fiber separation (Srinivasan and Singh), 27
 - moisture content, soluble level (Ganesan et al), 464
- Docosahexanoic acid (DHA), enriched spaghetti (Iafelice et al), 146
- Dough
 - frozen; effect of transglutaminase on properties (Huang et al), 301
 - noodle; high molecular weight glutenin subunits (Ohm et al), 123
 - yeasted; glucose, sucrose, ethanol extraction and quantification (Loveday and Winger), 530
- Dough properties, thioredoxin modified winter wheat and (Waga et al), 488
- Dry milling, transgenic maize with GFP marker (Shepherd et al), 196, 711
- Durum wheat, hydration dynamics (Kratzer et al), 660
- Dynamic oscillation measurements, wheat flour dough, bread volume (Van Bockstaele et al), 762
- Dynamic shear, wheat flour dough rheological properties (Davidou et al), 403
- Eicosapentaenoic acid (EPA), enriched spaghetti and (Iafelice et al), 146
- Elusive process, fiber separation from DDGS (Srinivasan and Singh), 27
- Endopeptidase, action on triticale prolamins (Drzymala et al), 366
- Endosperm, compressive strength from wheat (Morris et al), 351, 359
- Enhanced corn flour, elusive process (Srinivasan and Singh), 27
- Enzymatic hydrolysis, of waxy rice starch granules (Kim et al), 182
- Ethanol
 - DDGS properties (Ganesan et al), 464
 - elusive process (Srinivasan and Singh), 27
 - extraction and quantitation from fermenting yeasted dough (Loveday and Winger), 530
 - fermentation, sorghum protein extraction and (Zhao et al), 837
 - fermentation quality of grain sorghum and (Zhao et al), 830
 - sorghum culture conditions (Wu et al), 495
 - sorghum decortication, protease treatment (Pérez-Carrillo et al), 792
 - water removal from whole stillage, during fermentation (Henriques et al), 685
- wheat flour gluten proteins, dough functional properties (Robertson et al), 599
- yield, small grain characteristics (Lacerenza et al), 322
- Extruded products, rice-based, barley flour (Gupta et al), 115
- Extrusion
 - effect of DDGS, moisture content, and screw speed (Chevanan et al), 132
 - modeling of mean residence time (Lei et al), 230
 - oat cake production (Han et al), 522
- Falling number, preharvest sprouting in white-grained wheat (Singh et al), 238
- Fat content, recombinant inbred rice lines and (Wang et al), 769
- Fermentation
 - of ethanol, sorghum protein extraction (Zhao et al), 837
 - extraction and quantitation of glucose (Loveday and Winger), 530
 - grain sorghum, fuel ethanol production (Zhao et al), 830
 - water removal during, enzyme addition (Henriques et al), 685
- Films, nanocomposite starch-clay properties (Tang et al), 433
- Flavor
 - impact of rice presoaking (Champagne et al), 706
 - and aroma, review for rice (Champagne), 445
- Flavor volatiles
 - origin in cooked rice (Yang et al), 591
 - rice cooking and (Zeng et al), 140
 - rice cultivars, low digestible protein during cooking (Zeng et al), 689
- Flours. *See also* Corn flour; Wheat flour
 - characteristics, bread quality (Dowell et al), 82
 - consumer preferences for functional barley tortillas (Toma et al), 721
 - effect of cooking conditions on protein matrix (Ezeogu et al), 397
 - LMW-GW to HMW-GS ratio (Cinco-Moroyoqui and MacRitchie), 824
 - nixtamalized QPM, steeping time, quality protein changes (Rojas-Molina et al), 409
 - nixtamalized and extruded quality protein maize (Gutiérrez-Dorado et al), 808
 - pound cake properties (Capriles et al), 614
 - sorghum, microstructure during cooking (Choi et al), 65
 - spelt cultivars and bread quality (Wilson et al), 629
 - starch damage, yellow alkaline noodles (Hatcher et al), 425
 - storage temperature, water content, dough mixing (Maraschin et al), 372
- Fortification. *See* Micronutrients
- Fractionation
 - laboratory wet milling of corn (Arora et al), 207
 - transgenic maize with GFP marker (Shepherd et al), 196, 711
 - wheat flour gluten proteins, dough functional properties (Robertson et al), 599
 - of wheat kernels and physiochemical properties (Yinian et al), 534
- Fungal pathogens
 - maize commercial dry milling (Schollenberger et al), 557
 - shelled corn, carbon dioxide evolution (Moog et al), 19
- Fusarium* toxins, redistribution of during maize commercial dry milling (Schollenberger et al), 557
- GABA tea, effect on chiffon cake quality (Lee and Lin), 31
- Gangjung*, steeping conditions, effect on expansion properties (Kim et al), 314
- Gas chromatography-mass spectrometry (GC-MS), flavor volatiles, rice cooking (Zeng et al), 140
- Gelatinization
 - heat-treated barley flour (Purhagen et al), 109
 - high-fiber wheat flour blends (Santos et al), 455
 - rice, variable temperature parboiling and (Himmelsbach et al), 384
- Genetic engineering
 - amylose content, puroindoline composition, bread quality and (Martin et al), 266
 - celiac disease and (Wieser and Koehler), 1
 - green fluorescent protein (GFP) as marker (Shepherd et al), 188, 196, 711
 - rice fat content and fat index (Wang et al), 769
- Genetics
 - amylose content, wheat flour gel properties (Sasaki et al), 329
 - barley β -glucan mutants, bulk carbohydrate grain filling (Seefeldt et al), 571
 - barley grain quality traits and (Turuspekov et al), 817
 - breadmaking performance, wheat cultivars and (Ponzio et al), 579
 - end use quality of wheat (Morris et al), 359
 - ethanol yield and (Lacerenza et al), 322
 - limit dextrinase in 16 barley cultivars (Li et al), 271
 - quality trait variation in wheat cultivars (Underdahl et al), 507

- sorghum culture conditions and ethanol yield (Wu et al), 495
- wheat cultivar, bran phenolic content and antioxidant properties (Verma et al), 544
- of wheat grain hardness (Feiz et al), 44
- Gladiins, thioredoxin modification of winter wheat (Waga et al), 488
- β -Glucan
 - barley mutants, bulk carbohydrate grain filling (Seefeldt et al), 571
 - extraction from rye whole meal (Ragaee et al), 283, 289
 - glycemic response, treated oat bran muffins (Tosh et al), 211
 - measurement of mixed linkage, modification of standard enzymatic protocol (Hu and Burton), 648
 - in oats (Kim et al), 701
 - from rye (Brummer et al), 174
 - from rye whole meal (Ragaee et al), 283, 289
- Glucose
 - extraction and quantitation from fermenting yeasted dough (Loveday and Winger), 530
 - Mesona blumes* gum/starch mixed gel (Feng et al), 550
- Gluten bioplastics, compression-molded, mechanical properties (Zhang et al), 379
- Glutenin macropolymer (GMP), transglutaminase (Steffolani et al), 31
- Glutenins
 - LMW-GW to HMW-GS ratio in wheat flours (Cinco-Moroyoqui and MacRitchie), 824
 - macropolymer properties, dough rheology (Steffolani et al), 39
 - noodle dough characteristics and (Ohm et al), 123
 - solubilization of, storage temperature (Wilkes and Copeland), 335
- Glutens. *See also* Corn gluten meal (CGM)
 - celiac disease and (Wieser and Koehler), 1
 - compression-molded bioplastics, mechanical properties of (Zhang et al), 379
 - oligosaccharides, polysaccharides, formation in sorghum sourdoughs and (Schwab et al), 679
 - role in flour tortilla staling (Alviola et al), 295
 - transglutaminase, frozen dough properties and (Huang et al), 301
 - wheat flour fractionation, dough functional properties (Robertson et al), 599
 - wheat flour properties, deformation (Sasaki et al), 329
- Glycemic index (GI)
 - durum wheat flour, white salted noodles (Osorio-Díaz et al), 339
 - pulse starches (Chung et al), 471
- Glycemic response, oat bran muffins, β -glucan (Tosh et al), 211
- Glycinins, transglutaminase and (Marco et al), 59
- Glycochenodeoxycholate, adsorption (Funk et al), 14
- Green fluorescent protein (GFP), marker in transgenic maize seed (Shepherd et al), 188, 196, 711
- Hard red spring grain
 - bread quality and (Dowell et al), 82
 - ethanol yield and (Lacerenza et al), 322
 - quality trait variation in cultivars of North Dakota (Underdahl et al), 507
- Hard red winter grain, bread quality (Dowell et al), 82
- Hard white spring grain
 - ethanol yield (Lacerenza et al), 322
 - starch damage, yellow alkaline noodles (Hatcher et al), 425
- Hardness
 - influence of microwave heating on wheat grain (Grundas et al), 224
 - milling, end use quality of wheat (Morris et al), 359
- Hardness (*Ha*) locus
 - milling, end use quality of wheat (Morris et al), 359
 - wet-milling (Feiz et al), 44
- High molecular weight glutenin subunits (HMW-GS), noodle dough characteristics (Ohm et al), 123
- High-amylose maize starch, enzyme susceptibility (Evans and Thompson), 480
- High-performance liquid chromatography (HPLC), of tocopherols and tocotrienols in cereals (Nielsen and Hansen), 248
- High-performance size exclusion chromatography (HPSEC), amylose determination (Zhu et al), 51
- High-protein food bars, ingredient characterization and hardening (Li et al), 780
- Human leukocyte antigen (HLA), association with celiac disease (Wieser and Koehler), 1
- Inclusions, distribution in grain tissues, iron rice genotype and (Prom-u-thai et al), 257
- Iodine binding methods, amylose determination (Zhu et al), 51
- Iron
 - rice genotype, protein bodies (Prom-u-thai et al), 257
 - source of, micronutrient-fortified corn tortillas (Richins et al), 561
- Irrigation, sorghum ethanol yield (Wu et al), 495
- Isomaltooligosaccharide syrup, sponge cake quality (Lee et al), 515
- Kansui noodles, particle size, starch damage, and alkaline reagent (Hatcher et al), 425
- Kernels, shelled corn fungal susceptibility, carbon dioxide evolution (Moog et al), 19
- Lactobacillus reuteri*, oligosaccharide, polysaccharide formation in sorghum sourdoughs (Schwab et al), 679
- LDL, inhibition of oxidation in vitro (Abdel-Aal and Gamel), 730
- Lentils, pulse starch properties from newly released cultivars (Chung et al), 471
- Lignification, artificial, in vitro bile acid adsorption (Funk et al), 14
- Limit dextrinase in 16 barley cultivars (Li et al), 271
- Lipases, inactivation, enhanced lipid stability (Rose et al), 218
- Lipids
 - enhanced stability in whole wheat flour (Rose et al), 218
 - storage temperature, flour water content, and dough mixing (Maraschin et al), 372
- Lipoxygenases, storage temperature, flour water content, and dough mixing (Maraschin et al), 372
- Lysophosphatidylcholine, in maize starch granules (Lee and BeMiller), 776
- Magnetic resonance imaging (MRI), durum wheat endosperm hydration dynamics (Kratzer et al), 660
- Megazyme kit, amylose determination (Zhu et al), 51
- Mesona blumes* gum, starch mixed gels, sugars and (Feng et al), 550
- Micronutrients
 - continuous fortification of nixtamal tortillas (Dunn et al), 746
 - effect of iron source on fortified tortilla appearance (Richins et al), 561
 - fortification of tortillas (Burton et al), 70
 - rice genotype, protein bodies and (Prom-u-thai et al), 257
 - wheat flour functional properties and (Gujral et al), 97
- Microscopy, cooking, sodium bisulfite, waxy sorghum flour (Choi et al), 65
- Microwave heating and wheat grain physiochemical properties (Grundas et al), 224
- Mid-infrared spectroscopy (MIR), chemical changes during bread dough mixing and (Kaddour et al), 673
- Milling
 - corn, redistribution of *Fusarium* toxins (Schollenberger et al), 557
 - effect of process on sensory characteristics of sorghum porridge (Kebakile et al), 307
 - enzyme and acid treatments, wheat kernel characteristics and (Lamsal et al), 642
 - Hardness (*Ha*) locus (Feiz et al), 44; (Morris et al), 359
 - origin of volatile compounds in cooked rice (Yang et al), 591
 - prediction of rice surface lipid content (Saleh et al), 787
 - transgenic maize with GFP marker (Shepherd et al), 196, 711
 - wheat, amino acid and protein variations (Jiang et al), 502
 - wheat, whole wheat flours, vitamin E stability (Nielsen and Hansen), 716
- Moisture content. *See* Water content
- Nanocomposite films, starch-clay, properties (Tang et al), 433
- Near-infrared spectroscopy, prediction of rice surface lipid content (Saleh et al), 787
- Nixtamal tortillas
 - continuous micronutrient fortification (Dunn et al), 746
 - extruded quality protein maize and (Gutiérrez-Dorado et al), 808
 - micronutrient fortification (Burton et al), 70
- NMR state diagrams, analysis of high-protein food bars (Li et al), 780
- Noodles
 - durum wheat flour, plantain starch, white salted noodles (Osorio-Díaz et al), 339
 - high molecular weight glutenin subunits (Ohm et al), 123
 - particle size, starch damage of flour and alkaline reagent (Hatcher et al), 425
- Nutrim, oat β -glucan (Kim et al), 701
- Oat bran muffins, with varying β -glucan molecular weight (Tosh et al), 211
- Oat cakes, production from extruded pellets (Han et al), 522
- Oatrim, oat β -glucan (Kim et al), 701

Oats

- β -glucan (Kim et al), 701
- crown rust, avenanthramide concentration (Wise et al), 639
- grain density measurement (Doehlert and McMullen), 654
- Omega-3 fatty acids, enriched spaghetti and (Iafelice et al), 146
- γ -Oryzanol, in rice subspecies cultivated in Brazil (Heinemann et al), 243
- Oxidation, stale flavor and (Champagne), 445
- Oxygen uptake, storage temperature, flour water content, dough mixing and (Maraschin et al), 372

Packaging, starch-clay nanocomposite films (Tang et al), 433

Pancakes, starch, tailings fractions in wheat flour (Ozawa and Seguchi), 626

Parboiling, variable temperature, changes in rice (Himmelsbach et al), 384

Pasting, heat-treated maize starch, water-ethanol mixtures (Kurakake et al), 566

Pearling, barley cultivars, inhibition of LDL oxidation in vitro (Abdel-Aal and Gamel), 730

Peas, pulse starch properties from newly released cultivars (Chung et al), 471

Phenolics

—bran from 51 wheat cultivars (Verma et al), 544

—rye whole meal and (Ragaee et al), 283, 289

—wheat bran consumption and (Price et al), 152

Phenotyping, of preharvest sprouting in white-grained wheat (Singh et al), 238

Phytate, grain tissue inclusions, iron, rice genotype (Prom-u-thai et al), 257

Phytochemicals, in rice subspecies cultivated in Brazil (Heinemann et al), 243

Plantain starch, durum wheat flour, white salted noodles (Osorio-Díaz et al), 339

Plasticizers, corn gluten meal melt processing and (Lawton et al), 102

Polyunsaturated fatty acids (PUFA)

—enriched spaghetti (Iafelice et al), 146

—flour oxidative ability (Maraschin et al), 372

Porridge, effect of sorghum type and milling process on sensory characteristics (Kebakile et al), 307

Pound cakes, and added amaranth flour (Capriles et al), 614

Precipitation method, enzyme susceptibility of high-amylose starch (Evans and Thompson), 480

Preharvest sprouting. *See* Sprouting

Presoaking, impact on flavor of cooked rice (Champagne et al), 706

Prolamins, triticale, enzymatic action (Drzymala et al), 366

Proteases

—role in flour tortilla staling (Alviola et al), 295

—sorghum decortication and treatment with, bioethanol production (Pérez-Carrillo et al), 792

Protein bodies, distribution in grain tissues, iron rice genotype and (Prom-u-thai et al), 257

Protein electrophoresis patterns, effect of transglutaminase (Marco et al), 59

Proton high-resolution, magic angle spinning, nuclear magnetic resonance spectroscopy, barley β -glucan mutants (Seefeldt et al), 571

Pulse starches, properties of newly released cultivars (Chung et al), 471

Puroindoline a and *b* genes, wet-milling and (Feiz et al), 44

Puroindoline composition, variations, bread quality (Martin et al), 266

Quality protein maize (QPM)

—nixtamalization, flour and tortilla properties (Gutiérrez-Dorado et al), 808

—nixtamalized flours, steeping time, quality protein changes (Rojas-Molina et al), 409

Quantitative trait loci (QTL) analysis, rice fat content, fat index and (Wang et al), 769

Raman spectroscopy, wheat grain peripheral tissues (Barron and Rouau), 619

Rapid Visco-Analyzer (RVA)

—fermentation of grain sorghum for fuel ethanol production and (Zhao et al), 830

—fresh and frozen doughs, for (Huang et al), 301

—heat-treated maize starch, water-ethanol mixtures (Kurakake et al), 566

—minerals, pasting properties (Gujral et al), 97

—pasting measurements for spelt wheat and its starch (Wilson et al), 629

—rice, variable temperature parboiling (Himmelsbach et al), 384

Rapidly digestible starch, pulse starches (Chung et al), 471

Resistant starch

—durum wheat flour, white salted noodles and (Osorio-Díaz et al), 339

—high-amylose, enzyme susceptibility (Evans and Thompson), 480

—starch product properties (Wongsagonsup et al), 738

Retrogradation, high-fiber wheat flour blends (Santos et al), 455

Rice

—aroma and flavor (Champagne), 445

—barley flour, extruded snacks (Gupta et al), 115

—changes with variable temperature parboiling (Himmelsbach et al), 384

—effect of steeping conditions on *Gangjung* expansion properties (Kim et al), 314

—fat-soluble phytochemicals in subspecies cultivated in Brazil (Heinemann et al), 243

—flavor volatiles in cvs. with low levels of digestible protein during cooking (Zeng et al), 689

—flavor volatiles of during cooking (Zeng et al), 140

—impact of presoaking on flavor (Champagne et al), 706

—iron genotype, protein bodies, inclusions and (Prom-u-thai et al), 257

—modeling surface lipids, degree of milling (DOM) prediction (Saleh et al), 787

—nighttime temperature, kernel development, and physiochemical properties (Cooper et al), 276

—origin of volatile compounds in cooked (Yang et al), 591

—parboiling, crystallinity and (Manful et al), 92

—prediction of surface lipid content, degree of milling (Saleh et al), 787

—preparation of endosperm protein isolate (Paraman), 76

—recombinant inbred lines, rice fat content, fat index and (Wang et al), 769

—waxy starch granule fragmentation (Kim et al), 182

Rice flour

—addition of soybean proteins (Marco et al), 59

—modeling of mean residence time in extruder (Lei et al), 230

Rust, oat grain, avenanthramide concentration (Wise et al), 639

Rye

— β -glucan from (Brummer et al), 174; (Ragaee et al), 283, 289

Scarification. *See* Seed scarification

Screw speed, extrudate physical properties (Chevanan et al), 132

Seed filling, thioredoxin h system, wheat seed quality (Zahid et al), 799

Seed scarification, measurement of wheat hardness (Liu), 165

Sieving, pericarp fiber separation and (Srinivasan and Singh), 27

Single kernel characterization system (SKCS)

—endosperm brick analysis vs. (Morris et al), 359

—wheat hardness and (Liu), 165

Soaking, impact on flavor of cooked rice (Champagne et al), 706

Sodium bisulfite, in vitro digestibility of waxy sorghum flour (Choi et al), 65

Solid phase microextraction (SPME), flavor volatiles, rice cooking (Zeng et al), 140

Soluble level, DDGS properties (Ganesan et al), 464

Sonication, sorghum protein extraction, ethanol fermentation and (Zhao et al), 837

Sorghum

—culture conditions, ethanol yield and (Wu et al), 495

—decortication and protease treatment, bioethanol production (Pérez-Carrillo et al), 792

—effect of cooking conditions on protein matrix of flours and (Ezeogu et al), 397

—popped, effect of moisture content and tempering method on properties (Gaul and Rayas-Duarte), 344

—effect of type and milling process on sensory characteristics of porridge (Kebakile et al), 307

—fermentation quality, and fuel ethanol production (Zhao et al), 830

—oligosaccharide, polysaccharide formation in sourdoughs (Schwab et al), 679

—protein extraction by sonication, ethanol fermentation and (Zhao et al), 837

Sorghum flour, microstructure during cooking (Choi et al), 65

Sourdough, oligosaccharide, polysaccharide formation in sorghum (Schwab et al), 679

Soybeans, addition of proteins to rice flour (Marco et al), 59

Spaghetti

—enriched with long chain omega-3 fatty acids (Iafelice et al), 146

—instrumental determination of cooked firmness (Sissons et al), 440

Spelt wheat, bread quality (Wilson et al), 629

Sponge cake, isomaltoligosaccharide syrup and (Lee et al), 515

Sprouting, methods for phenotyping in white-grained wheat (Singh et al), 238

Staling

—flavor (Champagne), 445

—of flour tortillas, role of gluten (Alviola et al), 295

—starch, flour tortillas and (Alviola and Waniska), 391

Starch-clay nanocomposite films, properties (Tang et al), 433

Starches

- damage of flour and alkaline reagent, yellow alkaline noodles and (Hatcher et al), 425
- durum wheat flour, white salted noodles (Osorio-Díaz et al), 339
- effect of cooking conditions on flour protein matrix (Ezeogu et al), 397
- enzymatic hydrolysis of waxy rice starch granules (Kim et al), 182
- flour tortilla staling (Alviola and Waniska), 391
- fragmentation of waxy rice starch granules (Kim et al), 182
- heat-treated, water-ethanol mixtures, pasting and (Kurakake et al), 566
- high-amylose, enzyme susceptibility (Evans and Thompson), 480
- lysophosphatidylcholine and (Lee and BeMiller), 776
- maize; pasting characteristics of heat-treated (Kurakake et al), 566
- Mesona blumes* gum/starch mixed gel (Feng et al), 550
- modified wheat, bread yield and (Miller et al), 713
- nanocomposite films (Tang et al), 433
- particle size, alkaline noodles and (Hatcher et al), 425
- properties of newly released pulse cultivars (Chung et al), 471
- slowly digestible starch content, starch product properties and (Wongsagonsup et al), 738
- spelt wheat, bread quality (Wilson et al), 629
- from wheat cultivars grown in East China (Hou et al), 252
- wheat flour, gluten characteristics (Sasaki et al), 329
- wheat flour properties, deformation and (Sasaki et al), 329
- Steeping**
 - effect of conditions on *Gangjung* expansion properties (Kim et al), 314
 - protein changes in QPM (Rojas-Molina et al), 409
- Storage**
 - temperature, dough mixing and (Maraschin et al), 372
 - temperature, glutenin solubilization from wheat grains (Wilkes and Copeland), 335
 - wheat, whole wheat flours, vitamin E stability and (Nielsen and Hansen), 716
- Sucrose (Sugars)**
 - extraction and quantitation from fermenting yeasted dough (Loveday and Winger), 530
 - Mesona blumes* gum/starch mixed gel (Feng et al), 550
- Tannins**, fermentation of grain sorghum for fuel ethanol production (Zhao et al), 830
- TAXI** xylanase inhibitors, quantification of (Gebruers et al), 586
- Temperature**
 - nighttime, effect on rice physiochemical properties (Cooper et al), 276
 - rice parboiling (Himmelsbach et al), 384
- Tempering** method, effect on properties of popped sorghum (Gaul and Rayas-Duarte), 344
- Thin-layer chromatography (TLC)**, identification of lysophosphatidylcholine in maize start granules (Lee and BeMiller), 776
- Thioredoxin**
 - gliadin immunoreactivity, dough properties and (Waga et al), 488
 - wheat seed quality and (Zahid et al), 799
- Thousand kernel weight (TKW)**, influence of microwave heating on wheat grain (Grundas et al), 224
- Tocopherols**
 - rapid HPLC determination in cereals (Nielsen and Hansen), 248
 - in rice subspecies cultivated in Brazil (Heinemann et al), 243
- Tocotrienols**
 - rapid HPLC determination in cereals (Nielsen and Hansen), 248
 - in rice subspecies cultivated in Brazil (Heinemann et al), 243
- Tortillas**. *See also* Nixtamal tortillas
 - consumer preferences for functional barley (Toma et al), 721
 - continuous micronutrient fortification (Dunn et al), 746
 - micronutrient fortification (Burton et al), 70
 - micronutrient-fortified, effect of iron source on appearance (Richins et al), 561
 - nixtamalized and extruded quality protein maize and (Gutiérrez-Dorado et al), 808
 - role of gluten in staling (Alviola et al), 295
 - staling, starch and (Alviola and Waniska), 391
- Total phenolics**, wheat bran consumption (Price et al), 152
- Total protein content (TPC)**, influence of microwave heating on wheat grain (Grundas et al), 224
- Transglutaminase**
 - frozen dough properties (Huang et al), 301
 - properties of glutenin macropolymer, dough rheology and (Steffolani et al), 39

- protein electrophoretic patterns (Marco et al), 59
- role in flour tortilla staling (Alviola et al), 295
- Trithothecenes**, redistribution during maize commercial dry milling (Schollenberger et al), 557
- Triticale**
 - enzymatic reactions, prolamins and (Drzymala et al), 366
 - bran, phenolic content, antioxidant properties (Verma et al), 544
- Unextractable polymeric protein**, end-use quality in Chinese bread wheat cultivars (Zhang et al), 696
- Vitamin E**, stability in wheat and whole wheat flour during storage (Nielsen and Hansen), 716
- Volatile compounds**
 - origin in cooked rice (Yang et al), 591
 - rice cooking and (Zeng et al), 140
 - rice cultivars, digestible protein, cooking and (Zeng et al), 689
 - Vrs1* alleles, barley grain quality traits and (Turuspekov et al), 817
- Water content**
 - calibration, assessment by MRI (Kratzer et al), 660
 - corn gluten meal melt processing (Lawton et al), 102
 - DDGS properties and (Ganesan et al), 464
 - dough mixing and (Maraschin et al), 372
 - effect on properties of popped sorghum (Gaul and Rayas-Duarte), 344
 - enzyme addition, whole stillage fermentation (Henriques et al), 685
 - extrudate physical properties and (Chevanan et al), 132
 - influence of microwave heating on wheat grain (Grundas et al), 224
 - removal during fuel ethanol processing (Henriques et al), 685
 - role in shelled corn fungal susceptibility (Moog et al), 19
- Waxy rice**
 - effect of steeping conditions on *Gangjung* expansion properties (Kim et al), 314
 - fragmentation of starch by enzymatic hydrolysis (Kim et al), 182
- Waxy sorghum flour**. *See* Sorghum flour
- Waxy starch**
 - slowly digestible starch content, starch product properties and (Wongsagonsup et al), 738
 - starch product properties (Wongsagonsup et al), 738
- Weissella cibaria**, oligosaccharide, polysaccharide formation in sorghum sourdoughs (Schwab et al), 679
- Wet milling**
 - corn milling fraction correlations (Arora et al), 207
 - quality, wheat grain hardness (Feiz et al), 44
- Wheat**
 - amino acid and protein variation during milling, breadmaking and (Jiang et al), 502
 - amylose content, and puroindoline composition, bread quality (Martin et al), 266
 - bran arabinoxyloligosaccharides, chicken diets and (Courtin et al), 607
 - characteristics of starches from cultivars grown in East China (Hou et al), 252
 - compressive strength of endosperm (Morris et al), 351, 359
 - enzyme and acid treatments, kernel characteristics (Lamsal et al), 642
 - flour dough rheological properties, shaping and orientation of structures (Davidou et al), 403
 - FTIR and raman signatures of peripheral tissues (Barron and Rouau), 619
 - grain hardness, wet-milling quality and (Feiz et al), 44
 - hydration dynamics (Kratzer et al), 660
 - influence of microwave heating on grain physiochemical properties (Grundas et al), 224
 - measurement of hardness (Liu), 165
 - modified starch, bread yield (Miller et al), 713
 - phenotyping preharvest sprouting in white-grained (Singh et al), 238
 - physiochemical properties of fractionated (Yinian et al), 534
 - quality trait variation in North Dakota cultivars (Underdahl et al), 507
 - quantification of xylanase inhibitors (Gebruers et al), 586
 - storage temperature, glutenin subunit solubilization (Wilkes and Copeland), 335
 - strains, ethanol yield and (Lacerenza et al), 322
 - thioredoxin h system, seed quality and (Zahid et al), 799
 - thioredoxin modification, gliadin immunoreactivity (Waga et al), 488
 - unextractable polymeric protein, end-use quality (Zhang et al), 696
 - viscoelastic properties of kernels, compression load method (Ponce-García et al), 667

Wheat bran, protective effects of cereals against heart disease (Price et al), 152

Wheat bread, heat-treated barley flour (Purhagen et al), 109

Wheat flour

—breadmaking performance, cultivar (Ponzio et al), 579

—dry-heated, pancake properties and (Ozawa and Seguchi), 626

—dynamic shear, dough rheological properties (Davidou et al), 403

—enhanced lipid stability (Rose et al), 218

—fractionation, dough functional properties (Robertson et al), 599

—gelatinization and retrogradation kinetics (Santos et al), 455

—LMW-GW to HMW-GS ratio (Cinco-Moroyoqui and MacRitchie), 824

—mineral content, functional properties and (Gujral et al), 97

—plantain starch, white salted noodles and (Osorio-Díaz et al), 339

—properties, bread volume and (Van Bockstaele et al), 753, 762

—stability of vitamin E during storage (Nielsen and Hansen), 716

—starch and gluten characteristics (Sasaki et al), 329

White salted noodles, mineral content and (Gujral et al), 97

XIP type xylanase inhibitors, and wheat TAXI quantification of (Gebruers et al), 586

X-ray diffraction (XRD), parboiled rice analysis and (Manful et al), 92

Xylanase inhibitors, quantification of (Gebruers et al), 586

Yeast dough, glucose, sucrose, ethanol extraction and quantification (Love-day and Winger), 530

Yellow alkaline noodles, particle size, starch damage of flour and alkaline reagent and (Hatcher et al), 425

Zearalenone, redistribution during maize commercial dry milling (Schollenberger et al), 557

Zein, isolation from corn gluten meal (Selling and Woods), 202